



中国国家强制性产品认证证书

证书编号: 2014010907734725

委托人名称、地址

新巨企业股份有限公司
台湾省新北市新店区民权路50号10楼

生产者(制造商)名称、地址

新巨企业股份有限公司
台湾省新北市新店区民权路50号10楼

生产企业名称、地址

新巨企业股份有限公司五股厂
新北市五股区五权路48号4楼

产品名称和系列、规格、型号

开关电源

见附件, 适用于海拔5000米及以下

产品标准和技术要求

GB4943.1-2011; GB9254-2008; GB17625.1-2012

上述产品符合强制性产品认证实施规则
CNCA-C09-01: 2014的要求, 特发此证。

发证日期: 2015年04月14日

有效期至: 2019年11月12日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2014年11月12日

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区 100070

<http://www.cqc.com.cn>



Q 1104332



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2014010907734725

NAME AND ADDRESS OF THE APPLICANT

Zippy Technology Corp.
10F, No.50, Minquan Rd., Sindian Dist., New Taipei City, TAIWAN

NAME AND ADDRESS OF THE MANUFACTURER

Zippy Technology Corp.
10F, No.50, Minquan Rd., Sindian Dist., New Taipei City, TAIWAN

NAME AND ADDRESS OF THE FACTORY

Zippy Technology Corp.
4F., No. 48, Wucyuan Rd. Wugu Dist., New Taipei City 24886 Taiwan

NAME, MODEL AND SPECIFICATION

Switching Power Supply

See appendix, altitude up to 5000m

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB4943.1-2011;GB9254-2008;GB17625.1-2012

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification(REF NO. CNCA-C09-01:2014).

Date of issue: Apr.14,2015

Date of expiry: Nov.12,2019

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original certification: Nov.12,2014

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao

CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>



Q 1104332



中国国家强制性产品认证证书

附录:

共 1 页, 第 1 页

证书编号: 2014010907734725

纸号: 1104332

P1U-5520K, 输入: 100-240V~, 8-4 A, 47-63Hz					
输出	+3.3V	+5V	+12V	-12V	5VSB
输出电流	0-14A	0-14A	43A	0-0.3A	0-2A
+5V & +3.3V max.	70W				
总输出功率	520W				
P1U-5400E, 输入: 100-240V~, 8-4 A, 47-63Hz					
输出	+3.3V	+5V	+12V	-12V	+5VSB
输出电流	0-18A	0-18A	32A	0-0.5A	0-3A
+5V & +3.3V max.	105W				
总输出功率	400W				

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>

