



中国国家强制性产品认证证书

证书编号: 2004010907124807

发证日期: 2023 年 06 月 21 日

有效期至: 2027 年 09 月 21 日

认证委托人名称 新巨企业股份有限公司
及注册地址 台湾省新北市新店区民权路 50 号 10 楼

产品生产者名称 新巨企业股份有限公司
及注册地址 台湾省新北市新店区民权路 50 号 10 楼

生产企业名称 新巨企业股份有限公司五股厂
及生产地址 新北市五股区五权路 48 号 4 楼

产品名称和系列、规格、型号 开关电源
见附件, 仅适用于海拔 2000 米及以下

产品标准和 GB 17625.1-2022;GB 4943.1-2022;GB/T 9254.1-2021
技术要求

上述产品符合 CNCA-C09-01:2014 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书, 证书首次颁发日期: 2004 年 07 月 22 日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2004010907124807

第 1 页 共 1 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号: HG2-6xxxP-y (xxx=400、350 或 300; y=空白或 R), HG2-6yyyP (yyy= 401、351 或 301)

仅适用于海拔 2000 米及以下

输入输出见下表

型号/Model	输入/ Input rating	直流输出/DC Output rating							
		+5V	+12V	+3.3V	+5VSB	-5V	-12V	+5V & +3.3 V	总输出最 大功率 (W)/Max. p ower
HG2-6400P HG2-6400P-R HG2-6401P	100-240VAC 63-47Hz, 8-4A	35A	30A	0-28A	0-2A	0- 0.5A	0- 0.8A	Max. 45A	400W
HG2-6350P HG2-6350P-R HG2-6351P	100-240VAC 63-47Hz, 7-3.5A	35A	26A	0-28A	0-2A	0- 0.5A	0- 0.8A	Max. 45A	350W
HG2-6300P HG2-6300P-R HG2-6301P	100-240VAC 63-47Hz, 6-3A	35A	22A	0-28A	0-2A	0- 0.5A	0- 0.8A	Max. 45A	300W



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2004010907124807

Valid from: Jun.21,2023

Valid until: Sep.21,2027

**NAME AND REGISTERED
ADDRESS OF THE APPLICANT**

Zippy Technology Corp.
10F., No. 50, Minquan Rd, Xindian District, New Taipei 231 Taiwan

**NAME AND REGISTERED
ADDRESS OF THE
MANUFACTURER**

Zippy Technology Corp.
10F., No. 50, Minquan Rd, Xindian District, New Taipei 231 Taiwan

**NAME AND LOCATION
OF THE FACTORY**

Zippy Technology Corp.
4F., No. 48, Wucyuan Rd. Wugu Dist., New Taipei City 24886 Taiwan

PRODUCT MODEL(S)

Switching Power Supply
See Appendix (Altitude up to 2000m)

**STANDARDS AND
TECHNICAL REQUIREMENTS**

GB 17625.1-2022;GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Jul.22,2004

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2004010907124807

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号: HG2-6xxxP-y (xxx=400、350 或 300; y=空白或 R), HG2-6yyyP (yyy= 401、351 或 301)

仅适用于海拔 2000 米及以下

输入输出见下表

型号/Model	输入/ Input rating	直流输出/DC Output rating							
		+5V	+12V	+3.3V	+5VSB	-5V	-12V	+5V & +3.3 V	总输出最 大功率 (W)/Max. p ower
HG2-6400P HG2-6400P-R HG2-6401P	100-240VAC 63-47Hz, 8-4A	35A	30A	0-28A	0-2A	0- 0.5A	0- 0.8A	Max. 45A	400W
HG2-6350P HG2-6350P-R HG2-6351P	100-240VAC 63-47Hz, 7-3.5A	35A	26A	0-28A	0-2A	0- 0.5A	0- 0.8A	Max. 45A	350W
HG2-6300P HG2-6300P-R HG2-6301P	100-240VAC 63-47Hz, 6-3A	35A	22A	0-28A	0-2A	0- 0.5A	0- 0.8A	Max. 45A	300W



CHINA QUALITY CERTIFICATION CENTRE