



中国国家强制性产品认证证书

证书编号: 2010010907419194

委托人名称、地址

新巨企业股份有限公司
台湾省新北市新店区民权路50号10楼

生产者(制造商)名称、地址

新巨企业股份有限公司
台湾省新北市新店区民权路50号10楼

生产企业名称、地址

新巨企业股份有限公司五股厂
新北市五股区五权路48号4楼

产品名称和系列、规格、型号

开关电源

见附件(仅适用于海拔2000米及以下)

产品标准和技术要求

GB4943.1-2011; GB9254-2008 (A级); GB17625.1-2012

上述产品符合强制性产品认证实施规则
CNCA-01C-020: 2007的要求, 特发此证。

发证日期: 2015年04月14日

有效期至: 2017年10月26日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2010年07月16日

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区 100070

<http://www.cqc.com.cn>



Q 1104345



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2010010907419194

NAME AND ADDRESS OF THE APPLICANT

Zippy Technology Corp.
10F, No.50, Mincyuan Rd., Sindian Dist., New Taipei City, TAIWAN

NAME AND ADDRESS OF THE MANUFACTURER

Zippy Technology Corp.
10F, No.50, Mincyuan Rd., Sindian Dist., New Taipei City, TAIWAN

NAME AND ADDRESS OF THE FACTORY

Zippy Technology Corp.
4F., No. 48, Wucyuan Rd. Wugu Dist., New Taipei City 24886 Taiwan

NAME, MODEL AND SPECIFICATION

Redundant Power Supply and Power Module

See appendix (Altitude up to 2000m)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB4943.1-2011;GB9254-2008(Class A);GB17625.1-2012

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification(REF NO. CNCA-01C-020:2007).

Date of issue: Apr.14, 2015 Date of expiry: Oct.26, 2017

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original certification: Jul.16, 2010

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao

CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>



Q 1104345



中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2010010907419194

纸号: 1104345

1) DM1S2-5400V4H, DM1S2-5401V4H, DM1S-3400, DM1S-3401V,

2) DM1S2-5500V4H, DM1S2-5501V4H, DM1S-3500V, DM1S-3501V

产品输入为 1) DC-36V—72V, 15A; 2) DC-36V—72V, 19A。产品输出见下表:

型号	DC 输出					+3.3V & +5V 最大 功率	最大总 功率
	+5V	+12V	+3.3V	-12V	+5Vsb		
DM1S-3400V	—	33A	—	0-0.8A	0-3.5A	—	400W
DM1S-3401V	—	33A	—	0-0.8A	0-3.5A	—	400W
DM1S-3500V	—	41A	—	0-0.8A	0-3.5A	—	500W
DM1S-3501V	—	41A	—	0-0.8A	0-3.5A	—	500W
DM1S2-5400V4H	0-25A	33A	0-25A	0-0.8A	0-3.5A	170W	400W
DM1S2-5401V4H	0-25A	33A	0-25A	0-0.8A	0-3.5A	170W	400W
DM1S2-5500V4H	0-25A	41A	0-25A	0-0.8A	0-3.5A	170W	500W
DM1S2-5501V4H	0-25A	41A	0-25A	0-0.8A	0-3.5A	170W	500W

DM1S2-5400V4H, DM1S2-5401V4H 分别由两个 DM1S-3400 跟 DM1S-3401V 组成

DM1S2-5500V4H, DM1S2-5501V4H 分别由两个 DM1S-3500 跟 DM1S-3501V 组成

注: 此附录与证书同时使用时有效。



主 任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>

