

ZIPPY TECHNOLOGY CORP
10F,No.50,MIN CHYUAN RD
SHIN-TIEN,TAIPEI HSIEN,TAIWAN,R.O.C.

	RELIABILITY PREDICTION STANDARD REPORT					
		(Sorted by Part Number)				
		MIL - HDBK - 217F, Notice 2				
Date : AUG-18-2011 Time : 10:35:02						
End Item Title : Q1J SERIES MTBF						
End Item Part Number : Q1J-1060V-48 (RoHS)						
Module Title : ZIPPY TECHNOLOGY CORP						
Module Part Number : Q1J/MTBF						
Module Reference Designation : Q1J						
Environmental Condition : GB						
Ambient Temperature: 25°C						
<u>Q1J-1060V-48 (RoHS)</u>						
ITEM	Part	Ref	Qual	Quant	Individual	Total
#	Number	Desig	Level		Failure Rate	Failure Rate
					(F/10^6Hrs)	(F/10^6Hrs)
1	B200000001	BOM	SPECIAL	1	0.094935	0.094935
2	B200000394	BOM	SPECIAL	1	0.094935	0.094935
3	B200000395	BOM	SPECIAL	1	0.094935	0.094935
4	B200010144	BOM	NMIL	1	0.000798	0.000798
5	B200020004	BOM	NMIL	1	0.005156	0.005156
6	B200030043	BOM	NMIL	1	0.003446	0.003446
7	B200030049	BOM	NMIL	1	0.007617	0.007617
8	B200030049	BOM	NMIL	1	0.007617	0.007617
9	B200050024	BOM	NMIL	1	0.005218	0.005218
10	B200050032	BOM	NMIL	1	0.005218	0.005218
11	B200050071	BOM	NMIL	1	0.058188	0.058188
12	B200060016	BOM	NMIL	1	0.014607	0.014607
13	B200070009	BOM	NMIL	1	0.000754	0.000754
14	B200110042	BOM	NMIL	1	0.004650	0.004650
15	B200110123	BOM	NMIL	2	0.004650	0.009300
16	B200110127	BOM	NMIL	2	0.007440	0.014880
17	B200110172	BOM	NMIL	1	0.004650	0.004650
18	B200110190	BOM	NMIL	1	0.004650	0.004650
19	B200110192	BOM	NMIL	1	0.004650	0.004650
20	B200110217	BOM	NMIL	4	0.004650	0.018600
21	B200110259	BOM	NMIL	1	0.004650	0.004650

ZIPPY TECHNOLOGY CORP
10F, No.50, MIN CHYUAN RD
SHIN-TIEN, TAIPEI HSIEN, TAIWAN, R.O.C.

22	B200110276	BOM	NMIL	2	0.004650	0.009300
23	B200110303	BOM	NMIL	2	0.005115	0.010230
24	B200110311	BOM	NMIL	1	0.004650	0.004650
25	B200110514	BOM	NMIL	1	0.004650	0.004650
26	B200110554	BOM	NMIL	1	0.004650	0.004650
27	B200110622	BOM	NMIL	1	0.004650	0.004650
28	B200110704	BOM	NMIL	1	0.004650	0.004650
29	B200120123	BOM	NMIL	1	0.007735	0.007735
30	B200120161	BOM	NMIL	1	0.007735	0.007735
31	B200160006	BOM	NMIL	1	0.065000	0.065000
32	B200180003	BOM	N/A	1	0.007411	0.007411
33	B200180070	BOM	N/A	1	0.008146	0.008146
34	B200200012	BOM	N/A	1	0.009203	0.009203
35	B200200017	BOM	N/A	4	0.011856	0.047424
36	B200200066	BOM	N/A	2	0.010911	0.021822
37	B200200069	BOM	N/A	1	0.006575	0.006575
38	B200220018	BOM	N/A	2	0.002416	0.004832
39	B200220031	BOM	N/A	1	0.002541	0.002541
40	B200220041	BOM	N/A	1	0.002198	0.002198
41	B200220063	BOM	N/A	1	0.002416	0.002416
42	B200230226	BOM	N/A	1	0.022233	0.022233
43	B200230393	BOM	N/A	2	0.163660	0.327320
44	B200230400	BOM	N/A	3	0.037094	0.111282
45	B200260290	BOM	NMIL	1	0.043960	0.043960
46	B200260294	BOM	NMIL	1	0.043960	0.043960
47	B200280012	BOM	NMIL	1	0.015958	0.015958
48	B200300342	BOM	NMIL	1	0.026144	0.026144
49	B210160055	BOM	N/A	1	0.010000	0.010000
50	B210191204	N/A	STANDARD	1	0.022077	0.022077
			Total Failure Rate (F/10 ⁶ Hrs) :			1.318206
			Mean Time (in hours) Between Failures (MTBF) :			758,607