



中国国家强制性产品认证证书

证书编号: 2014010907728201

委托人名称、地址

新巨企业股份有限公司
台湾省新北市新店区民权路50号10楼

生产者(制造商)名称、地址

新巨企业股份有限公司
台湾省新北市新店区民权路50号10楼

生产企业名称、地址

新巨企业股份有限公司五股厂
新北市五股区五权路48号4楼

产品名称和系列、规格、型号

开关电源

见附件(适用于海拔5000米及以下)

产品标准和技术要求

GB4943.1-2011; GB9254-2008; GB17625.1-2012

上述产品符合强制性产品认证实施规则
CNCA-C09-01: 2014的要求, 特发此证。

发证日期: 2015年04月13日

有效期至: 2019年10月15日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2014年10月15日

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



Q 1104445



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2014010907728201

NAME AND ADDRESS OF THE APPLICANT

Zippy Technology Corp.
10F, No.50, Mincyuan Rd., Sindian Dist., New Taipei City, TAIWAN

NAME AND ADDRESS OF THE MANUFACTURER

Zippy Technology Corp.
10F, No.50, Mincyuan Rd., Sindian Dist., New Taipei City, TAIWAN

NAME AND ADDRESS OF THE FACTORY

Zippy Technology Corp.
4F., No. 48, Wucyuan Rd. Wugu Dist., New Taipei City 24886 Taiwan

NAME, MODEL AND SPECIFICATION

Power Module

See appendix(Altitude up to 5000m)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB4943.1-2011;GB9254-2008;GB17625.1-2012

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification(REF NO. CNCA-C09-01:2014).

Date of issue: Apr. 13, 2015 Date of expiry: Oct. 15, 2019

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original certification: Oct.15, 2014

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1104445



中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2014010907728201

纸号: 1104445

型号: 1) BGIN-3420V, BGIN-3460V
2) DGIN-3420V, DGIN-3500V, DGIN-3600V
规格: 1) DC 18V - 36V 2) DC -36V - -72V

输入信息

型号	直流输入电压	输入电流
BGIN-3420V	18V - 36V	30-15A
BGIN-3460V		32-16A
DGIN-3420V	-36V - -72V	15-8A
DGIN-3500V		17.5-9A
DGIN-3600V		20-10A

输出

型号	+5V	+3.3V	+12V	+5VSB	-12V	+5V and +3.3V max	Total max power
BGIN-3420V	-	-	33A	0-3.5A	0-0.8A	-	420W
BGIN-3460V	-	-	37A	0-3.5A	0-0.8A	-	460W
DGIN-3420V	-	-	33A	0-3.5A	0-0.8A	-	420W
DGIN-3500V	-	-	40A	0-3.5A	0-0.8A	-	500W
DGIN-3600V	-	-	48A	0-3.5A	0-0.8A	-	600W

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>

